



FIRST FLOORS
Premium Australian Engineered Hardwood

SHOWCASE
THE NATURAL
BEAUTY OF OUR
AUSTRALIAN
SPECIES WITH
OUR NEW UV
LACQUER RANGE
OF FLOORING.

The new 'Invisible' UV Lacquer finish helps to bring out the warm, gentle feel of our Blackbutt flooring while the addition of non-yellowing agents ensure that your floor will maintain a clear look throughout its lifetime.

The vibrant richness of colour found in Spotted Gum flooring lends itself to a traditional UV Lacquer finish which helps to accentuate the impressive spectrum of colours available in this timber.





PRODUCT SPECIFICATIONS

Species	Blackbutt	Spotted Gum
Coating	Invisible UV Lacquer	UV Lacquer
Edge Profile	Micro Bevel	Micro Bevel
Surface	Light Brushed	Light Brushed
Finish	Matte	Matte
Locking System	Tongue & Groove (ends and sides)	Tongue & Groove (ends and sides)
Size	132mm x 13.5mm	132mm x 13.5mm
Wear Layer	4mm Lamella	4mm Lamella
Core	Hevea	Hevea
Length	1,820mm & 2,130mm	1,820mm & 2,130mm
Packaging 132mm	8 rows per box, max of 3 nested rows	8 rows per box, max of 3 nested rows
Coverage	1,820mm - 1.922m ² 2,130mm - 2.249m ²	1,820mm - 1.922m ² 2,130mm - 2.249m ²
Installation	Glue Down, Floated	Glue Down, Floated



FIRST FLOORS

Premium Australian Engineered Hardwood




LUXURY IN ANY SPACE BRINGS THE FEELING OF STYLE AND SOPHISTICATION, AND STARTS FROM THE FLOOR UP.

First Floors is a premium engineered floor, with its slightly textured surface and modern matte oil finish it is the perfect choice for interiors of distinction. With the coastal golden rays of Blackbutt, the attractive wild warmth of Spotted Gum and the deep rich tones of Roasted Peat this boutique collection offers only the finest from our Australian species.

Roasted Peat, is an Australian Hardwood that has been through a thermal modification process that uses no chemicals to permanently alter the structure of the wood fibre. This process greatly increases the stability and density of the hardwood, as well as locking in the gorgeous deep earth to chocolate brown colour tones.

We use a stable hevea core along with native Australian hardwood lamellas to provide a consistent and sturdy construction in all our flooring.

Choose from one of our prefinished options for long lasting and easy-to-maintain protection or take advantage of the high degree of flexibility offered by our raw timber to perfectly match your floor to its surroundings.





PRODUCT SPECIFICATIONS


Species	Blackbutt, Spotted Gum	Roasted Peat
Coating	UV Hardwax Oil	UV Hardwax Oil
Edge Profile	Micro Bevel	Micro Bevel
Surface	Light Brushed	Non-Brushed
Finish	Matte	Matte
Locking System	Tongue & Groove (ends and sides)	Tongue & Groove (ends and sides)
Size	132mm x 13.5mm, 180mm x 13.5mm	- 180mm x 13.5mm
Wear Layer	4mm Lamella	4mm Lamella
Core	Hevea	Hevea
Length	1,820mm & 2,130mm	1,820mm & 2,130mm
Packaging 132mm	8 rows per box, max of 3 nested rows	-
Packaging 180mm	6 rows per box, max of 2 nested rows	6 rows per box, max of 2 nested rows
Coverage 132mm	1,820mm - 1.922m ² 2,130mm - 2.249m ²	-
Coverage 180mm	1,820mm - 1.966m ² 2,130mm - 2.300m ²	1,820mm - 1.966m ² 2,130mm - 2.300m ²
Installation	Glue Down, Floated	Glue Down, Floated

*Blackbutt & Spotted Gum 132mm x 13.5mm only is available in a RAW uncoated, pre-sanded, square edge option. To be stained and finished on-site.

400MM WIDE OAK ENGINEERED FLOORING

PRODUCT SPECIFICATIONS

	NATURAL (Pre-finished Stain)	RAW (Uncoated)
Species	European Oak	European Oak
Coating	UV Lacquer	RAW Coated by installer
Width	400mm	400mm
Overall Thickness	20mm	20mm
Wear Layer	6mm	6mm
Length	2800mm & 5000mm	2800mm & 5000mm
Construction	Multi Ply - Eucalyptus Substrate and Birch Back Layer	Multi Ply - Eucalyptus Substrate and Birch Back Layer
Locking System	Tongue & Groove, End Matched, Micro Bevel Edge	Tongue & Groove, End Matched, Square Edge
Surface	Light Brushed	Smooth
Install Suitability	Glue Down	Glue Down
Coverage	2,800mm - 2.24m ² 5,000mm - 4.0m ²	2,800mm - 2.24m ² 5,000mm - 4.0m ²
Packaging	2 rows per box, some boxes will contain nested rows. No less than 1000mm for the nested length.	2 rows per box, some boxes will contain nested rows. No less than 1000mm for the nested length.







FIRST FLOORS

Premium Australian Engineered Hardwood

3/9 Hutchinson Street, Burleigh Heads QLD 4220

www.firstfloors.com.au | sales@firstfloors.com.au